



BALESTRO 24 | INDOOR - OUTDOOR

design Piero Lissoni

Fixed-size sofa for indoor and outdoor use, made of a seat panel in 8mm thick HPL with a supporting frame made of AISI 304 tubular stainless steel, 30x30mm section, to which armrests and backrests are attached via bushings, available in either woven or upholstered versions.

Woven version: armrest and backrest frame made of Ø20mm tubular steel, woven with cellulose rope in 'full weave' or leather profile (for indoor use only), or synthetic rope in 'full weave' or PVC (for both indoor and outdoor use), available in the collection finishes.

Upholstered version: armrest and backrest frame made of 40x10mm section AISI 304 tubular stainless steel and structural elastic material, for the indoor version with expanded polyurethane covered with a lining made of 100% polyester coupled with a thermofixed polyamide velour backing; for the outdoor version with open-cell polyurethane covered with draining fabric."

Seat panel available in veneer finish with canaletto walnut edging and water-based acrylic paint (indoor use only), or lacquered with scratch-resistant paint in black, white RAL 9001, or grey (for indoor and outdoor use).

Indoor seat cushions in differentiated-density polyurethane foam, covered with a lining made of polyester fiber with anti-treatment and resin coating, coupled with a polyamide velour backing. 50x50 cm support cushions, made of washed and sterilized goose down, enclosed in separate compartments.

Outdoor seat cushions made of differentiated-density open-cell polyurethane foam, covered with a lining in draining fabric; 50x50 cm support cushions made of outdoor fiber with an open-cell polyurethane foam insert, covered with a lining in draining fabric.

For both versions, upholstery in fabric or leather for indoor use, and in outdoor fabrics only for the outdoor version, fully removable with hook-and-loop fastening for backrests and armrests, and with zippers for seat cushions and support cushions.

Feet in AISI 304 stainless steel Ø22mm, fixed to the supporting frame using bushings, floor support provided by adjustable plastic tips in black color. All metal parts have an outdoor epoxy polyester powder coating in burnished color.

Seat depth with cushions: 65 cm.

Seat depth without cushions: 81 cm.

Structure and Feet




Burnished
Painting
(In-Outdoor)


Top



Canaletto
Walnut
(Indoor)



Scratch-resistant
Lacquered Matt
Black
(In-Outdoor)



Scratch-resistant
Lacquered Matt
RAL 9001
White Cream
(In-Outdoor)



Scratch-resistant
Lacquered Matt
NCS S 6000-N
Grey
(In-Outdoor)

Weaving



Cellulose Rope
Profile
col.Natural
(Indoor)




Cellulose
Rope Profile
col.Black
(Indoor)



Hide Rope
col.Brown
(Indoor)



Hide Rope
col.Black
(Indoor)



Hide Rope
col.Natural
(Indoor)



Synthetic
Rope Profile
col. Orange
(In-Outdoor)



Synthetic
Rope Profile
col. Grey
(In-Outdoor)



Synthetic
Rope Profile
col. Black
(In-Outdoor)



Synthetic
Rope Profile
col. Argilla
(In-Outdoor)



Synthetic
Rope Profile
col. Midnight
(In-Outdoor)



Matt Natural
Leather
PVC
(In-Outdoor)



Matt Red
PVC
(In-Outdoor)




Matt Black
PVC
(In-Outdoor)



Matt White
PVC
(In-Outdoor)

Technical Drawings

Woven sofa




Loose Cushion



Technical Drawings

Upholstered sofa



Loose Cushion



Notes

For each seat, two cushions 50x50 cm goose down filling(indoor) or two 50x50 cm fiber cushions for outdoor use with an open-cell polyurethane foam insert, covered in draining fabric (outdoor) are included.

Wood is a living material; therefore, it can have slight color and dimension changes. The presence of any non-homogeneous color shades is not to be considered a defect but a quality. Please note that the direct sunlight exposure may alter the wood color; therefore, we recommend the periodic position shift of the objects placed on the furniture for the first months to avoid differences in shades between exposed and covered portions.


For the Outdoor version, especially after prolonged rainy or humidity periods, it is suggested to rotate the elements and/or to temporarily lift the seat/back/armrest cushions to allow a complete drying and to avoid accumulation of dirt and moisture, causing the formation of mold.

It is recommended to use a "Protective Cover" to improve the longevity of the product; please note that the protective cover is made of water vapor repellent fabric, perfect to prevent and protect from the formation of mold, easily washable with water and soap. Do not keep the fabric folded for a long time when it is wet. For further information about the dedicated maintenance, please refer to the technical sheet available in the "Materials" section on our website. Lastly, we recommend placing the product on terraces or verandas to guarantee its durability over the years.

According to the product shape, some coverings cannot be used: please refer to the adaptability sheet in the "Materials" section of the website.

For leather coverings the "Leather A" or "Leather B" Maintenance Kit is included with the product.

The scratch-resistant coating increases scratch resistance compared to a standard coating, but it doesn't completely eliminate the possibility of scratches forming on the surface.



—
Armrest and backrest woven with
Cellulose Cord “full weave”







